

NUMAX

Power you can **depend** on.



AUTOMOTIVE

QUALITY DURABILITY PERFORMANCE

Numax Batteries

The Numax range of automotive batteries has been designed to meet the strenuous requirements of today's vehicle market fleet. Using the latest calcium technology they offer consumers a fully maintenance free battery, delivering reliability and durability with exceptional performance.

The NUMAX AGM & EFB battery ranges feature even higher cyclic stability and recharge faster than conventional lead-acid batteries.

That's why people trust the NUMAX battery brand to give them the performance they need no matter how harsh the conditions.



START/STOP (AGM)

- AGM 'Absorbent Glass Matt' Technology
- For all vehicles including stop/start vehicles
- Advanced performance
- 30% more starting power
- Maintenance free



START/STOP (EFB)

- EFB 'Enhanced Flooded Batteries' Technology
- For entry level vehicles of stop/start technology
- Advanced performance
- Maintenance free



PREMIUM

- WET 'Flooded' Technology
- For all vehicles without stop/start functions
- Optimised proven performance
- Maintenance free
- More than 40 part numbers covering 90% of the vehicles on the road



Part Number	X Ref	Voltage	Capacity @20h	CCA	Dimensions (mm) L x W x H	Layout/ Terminal	Hold Down	Case Size	Weight (Kg)	Pallet Qty
NUMAX AGM CAR BATTERY										
005LAGM	005LAGM	12	55	550	230 x 170 x 225	0 / 1	B01	D23	15.1	63
005RAGM	005RAGM	12	55	550	230 x 170 x 225	1 / 1	B00	D23	15.1	63
012AGM	012AGM	12	50	520	207 x 175 x 190	0 / 1	B13	L1	15.9	80
017AGM	017AGM	12	95	850	353 x 175 x 190	0 / 1	B13	L5	26.4	36
020AGM	020AGM	12	105	950	393 x 175 x 190	0 / 1	B13	L6	29.2	36
027AGM	027AGM	12	60	680	242 x 175 x 190	0 / 1	B13	L2	17.7	60
053AGM	053AGM	12	45	370	236 x 125 x 220	0 / 3	B01	B24	19	90
054AGM	054AGM	12	35	272	197 x 129 x 227	0 / 3	B00	B20	10.5	80
055AGM	055AGM	12	35	272	197 x 129 x 227	1 / 3	B00	B20	10.5	80
057AGM	057AGM	12	45	370	236 x 125 x 220	1 / 3	B00	B24	13	90
068AGM	068AGM	12	75	720	260 x 172 x 220	0 / 1	B00	D26	19.6	63
069AGM	069AGM	12	75	720	260 x 175 x 220	1 / 1	B00	D26	19.6	63
096AGM	096AGM	12	70	760	278 x 175 x 190	0 / 1	B13	L3	20.4	51
115AGM	115AGM	12	80	800	315 x 175 x 190	0 / 1	B13	L4	22.5	45
MX5	MX5	12	40	310	194 x 120 x 180	0 / 1	B00		10.7	54

Part Number	X Ref	Voltage	Capacity @20h	CCA	Dimensions (mm) L x W x H	Layout/ Terminal	Hold Down	Case Size	Weight (Kg)	Pallet Qty
NUMAX EFB CAR BATTERY										
005LEFB	005LEFB	12	60	520	230 x 172 x 200	0 / 1	B01	D23	17	63
012EFB	012EFB	12	55	540	207 x 175 x 190	0 / 1	B13	L1	14.1	71
017EFB	017EFB	12	95	900	354 x 175 x 174	0 / 1	B13	L5	19.6	36
020EFB	020EFB	12	110	940	393 x 175 x 190	0 / 1	B13	L6	19.6	36
027EFB	027EFB	12	60	640	242 x 174 x 190	0 / 1	B13	L2	17.7	72
068EFB	068EFB	12	68	670	257 x 175 x 220	0 / 1	B01	D26	19.2	63
096EFB	096EFB	12	70	720	277 x 174 x 190	0 / 1	B13	L3	18.9	63
100EFB	100EFB	12	65	650	277 x 174 x 175	0 / 1	B13	LB3	16.9	63
110EFB	110EFB	12	75	730	315 x 174 x 175	0 / 1	B13	LB4	19.6	72
115EFB	115EFB	12	80	730	315 x 175 x 190	0 / 1	B13	L4	21.8	45
249EFB	249EFB	12	80	800	302 x 175 x 220	0 / 1	B01	D31	19.2	48

Part Number	X Ref	Voltage	Capacity @20h	CCA	Dimensions (mm) L x W x H	Layout/ Terminal	Hold Down	Case Size	Weight (Kg)	Pallet Qty
NUMAX PREMIUM CAR BATTERY										
002L	202	12	45	340	175 x 175 x 190	0 / 1	B13	L0	10.2	72
002R	102	12	40	340	175 x 175 x 190	1 / 1	B13	L0	10	72
004L	004L	12	50	400	200 x 170 x 225	0 / 1	B00	D20	13	84
004R	004R	12	50	400	200 x 170 x 225	1 / 1	B00	D20	13	84
005L	005L	12	60	510	230 x 170 x 225	0 / 1	B01	D23	15.7	60
005R	005R	12	60	510	230 x 170 x 225	1 / 1	B01	D23	15.7	60
009L	009L	12	50	460	226 x 170 x 200	0 / 1	B01	85	13.25	63
009R	009R	12	50	460	226 x 170 x 200	1 / 1	B01	85	13.25	63
012	012	12	45	390	210 x 175 x 190	0 / 1	B13	L1	11	72
012UR	012	12	50	420	210 x 175 x 190	0 / 1	B13	L1	12.89	72
015	038	12	38	360	245 x 135 x 200	1 / 1	B09	B1V	11	
017	017	12	83	720	354 x 175 x 190	0 / 1	B13	L5	21.11	36
018	018	12	88	760	353 x 175 x 175	1 / 1	B13	L5	20.5	36
019	019	12	95	800	354 x 175 x 190	0 / 1	B13	L5	21.9	36
020	020	12	110	920	393 x 175 x 190	0 / 1	B13	L6	25.22	36
027	027	12	60	540	243 x 175 x 190	0 / 1	B13	L2	14.5	63
037	037	12	36	320	245 x 135 x 200	0 / 1	B09	B1V	11	90
038	038	12	36	320	245 x 135 x 200	1 / 1	B09	B1V	11	90
048H	048H	12	45	300	218 x 133 x 223	0 / 1	B01	E2	10.8	90
049H	049H	12	45	300	218 x 133 x 223	1 / 1	B01	E2	10.8	90
053	053	12	45	330	234 x 128 x 220	0 / 1	B00	B24	11.7	78
054	054	12	35	300	196 x 127 x 223	0 / 3	B00	B19	10	96
054H	054H	12	35	300	196 x 127 x 223	0 / 3	B01	B19	9.33	96
055	055	12	35	300	196 x 127 x 223	1 / 3	B00	B19	10	96
057	057	12	45	330	234 x 128 x 220	1 / 1	B00	B24	11.7	78
063	063	12	41	360	210 x 175 x 175	0 / 1	B13	LB1	11	72
065	065	12	53	470	243 x 175 x 175	0 / 1	B13	LB2	13.1	63
068	068	12	68	550	266 x 175 x 220	0 / 1	B01	D26	16.35	63
069	069	12	68	550	266 x 175 x 220	1 / 1	B01	D26	16.35	63
072T	072T	12	70	600	266 x 175 x 220	1 / 1	B00	D26	20.7	54
075	075	12	60	540	243 x 175 x 175	0 / 1	B13	LB2	14.1	63
077	077	12	45	390	210 x 175 x 190	1 / 1	B13	L1	11.7	72
078	078	12	60	540	243 x 175 x 190	1 / 1	B13	L2	13.9	72
085	085	12	43	360	210 x 175 x 175	0 / 1	B01	LB1	11.12	72
088	088	12	68	540	257 x 172 x 236	0 / 1	B00	D26	16.6	63

Part Number	X Ref	Voltage	Capacity @20h	CCA	Dimensions (mm) L x W x H	Layout/ Terminal	Hold Down	Case Size	Weight (Kg)	Pallet Qty
089	089	12	68	540	257 x 172 x 236	1 / 1	B00	D26	16.6	63
096	096	12	70	640	278 x 175 x 190	0 / 1	B13	L3	17.5	51
096R	096R	12	74	640	278 x 175 x 190	1 / 1	B13	L3	16.9	51
097	097	12	60	570	243 x 175 x 175	0 / 1	B13	LB2	14.2	60
099	099	12	72	720	278 x 175 x 190	0 / 1	B13	L3	17.62	48
100	100	12	70	640	278 x 175 x 175	0 / 1	B13	LB3	15.9	51
110	110	12	80	740	317 x 175 x 175	0 / 1	B13	LB4	18.8	45
115	115	12	80	670	317 x 175 x 190	0 / 1	B13	L4	19.1	45
154	154	12	45	330	234 x 128 x 220	0 / 3	B00	B24	11.7	90
155	155	12	45	330	234 x 128 x 220	1 / 3	B00	B24	11.7	90
249H	249H	12	95	740	302 x 175 x 225	0 / 1	B01	D31	21.1	42
250H	250H	12	95	740	302 x 175 x 225	1 / 1	B01	D31	21.1	42
75-550	75-550	12	60	510	230 x 179 x 185	1 / SIDE	B01	75	14.32	60
78-630	78-630	12	75	580	260 x 179 x 185	1 / SIDE	B01	78	16.17	54
AM058L	AM058L	12	60	510	242 x 175 x 175	0 / 1	B04	58	13.42	60
AM058R	AM058R	12	60	510	242 x 175 x 175	1 / 1	B04	58	13.42	60
MF78DT-630	78DT-630	12	70	630	260 x 179 x 201	1 / 1 + SIDE	B01	78	16.43	54



RECYCLING

All Numax batteries are at least 96% recyclable.


Numax batteries also offer a recycling service to all customers to ensure that the raw materials of batteries aren't going to waste or being disposed of in the wrong way. If customers buy a new battery and have no purpose for their previous battery, they can return it to the store so it can be correctly disposed of.

Reliable partnership you can trust.

Veloris stocks the full range of Numax batteries, known for their durability, consistent performance, and excellent value for money. Whether you need a battery for your car, leisure vehicle, or marine application, Numax combines advanced technology with rigorous quality standards to ensure long-lasting, dependable power in all conditions.

Visit Veloris today to find the right Numax battery for your needs, backed by expert advice and competitive pricing.

NUMAX
Power you can **depend** on.



SCAN ME

veloris.com
sales@veloris.com

Veloris.

The Battery Partner.

